



Functionality and aesthetics.

Plane NRS Wall blends sleek architectural lines with refined modern style. Available in matte black and stainless steel, it features dynamic lighting along with SRS and ultra-quiet NRS technology to create a calm, elevated cooking experience with exceptional everyday performance.

EAN code	8034122370507
Model Code	FNPLS48I6SS-R Plus - island - 48" (120 cm) - inox - 600 CFM
Collection	Design+

FEATURES AND PROPERTIES

Materials/Finishes	Scotch brite stainless steel (AISI 304)
Lighting	Strip LED Dynamic Light (2700K - 5600K) Dimmable lighting
Control	Electronic control
Installation type	Island
Ducting type	External ducting/Recirculating
Filters	Metallic grease filter, removable and washable Carbon.Zeo Microtech renewable filter (optional)
Dimensions	48 in
Features	NRS technology for a quieter kitchen Perimeter suction SRS Speed reduction system

OPTIONAL ACCESSORIES

Code	Description
KACL.1039	Carbon.Zeo Microtech renewable filter
KACL.400	Silent / Conveyor NRS
105080053	Remote control

OPTIONAL ACCESSORIES

Code	Description
KACL.572#I	Extension H1200 Island - Inox

ELECTRICAL CONNECTION AND CONSUMPTION

Maximum consumption	340W
Voltage/Frequency	110-120V 60Hz
Connection type	Hood comes standard with Nema 5-15P power cord

BLOWER PERFORMANCE

Motor	600 CFM
-------	---------


TECNICAL SPECS OF COOKERHOOD WITH 600 CFM NRS MOTOR

	SRS 2*		SRS 3*	
Motor Speed	1	2	3	4
CFM (rated at the motor)	210	295	395	600
Sones (estimated value)	1	2	3	4.25
Duct Size	6"	6"	6"	6"


*If activated SRS has 2 settings; 3 speed max & 2 speed max

WEIGHTS AND DIMENSIONS


Gross weight	113 lbs
Net weight	98 lbs
Packaging dimensions	L 53 in H 28 in D 29 in
Notes	Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Frontal view



Side view



Top view