



EAN code **8034122370576**
Model Code **FPERO30U6SS-R 10" Pro Style undercabinet - 30" (76 cm) - 600 CFM**
Collection **Potenza**

FEATURES AND PROPERTIES

Materials/Finishes **Scotch brite stainless steel**
Lighting **Strip LED
Dynamic Light (2700K - 5600K)**
Control **Electronic control**
Installation type **Insert**
Ducting type **External ducting/Recirculating**
Filters **Baffle filter, removable and dishwasher safe
Charcoal filter (optional)**
Dimensions **30 in**
Features **SRS Speed reduction system**

OPTIONAL ACCESSORIES

Code	Description
103050091	FFCHAR3C0BL - Round charcoal filter Ø 6" - Type 6
KACL.798#21F	FDNUVMTR600 - Motor 600 CFM for North America
KACL.815	Protective cleaning cloths for stainless steel (box 10 pcs)

ELECTRICAL CONNECTION AND CONSUMPTION

Maximum consumption 340W
 Voltage/Frequency 110-120V 60Hz
 Connection type Hood comes standard with Nema 5-15P power cord

BLOWER PERFORMANCE

Motor 600 CFM



TECNICAL SPECS OF COOKERHOOD WITH 600 CFM MOTOR

Motor Speed	SRS 2*		SRS 3*	
	1	2	3	4
CFM (rated at the motor)	210	295	395	600
Sones (estimated value)	1.5	3	4.25	6
Duct Size	6"	6"	6"	6"

*If activated SRS has 2 settings; 3 speed max & 2 speed max


WEIGHTS AND DIMENSIONS

Gross weight 46 lbs
 Net weight 34 lbs
 Packaging dimensions L 38 in H 15 in D 26 in
 Notes Recommended mounting height from cooking surface to hood bottom: 24" - 35"



Frontal view

Side view



Top view