

# FZU36LX



|                  |                 |
|------------------|-----------------|
| Product family   | Freezers        |
| Installation     | Built-in        |
| Category         | One Door        |
| Reference width  | Higher than 80  |
| Reference height | Higher than 200 |
| Cooling type     | No-frost        |
| Hinge            | Door-to-door    |
| Hinge position   | Left            |



## Aesthetic

|                           |                 |               |                 |
|---------------------------|-----------------|---------------|-----------------|
| Aesthetics                | Classic         | Handle        | Fixed           |
| Color                     | Stainless steel | Handle color  | Stainless steel |
| Material                  | Stainless steel | Side material | Metal           |
| Door stainless steel type | Normal          | Logo          | Applied         |
| Handle                    | External        | Display       | TFT             |

## Freezer features

|                   |                    |
|-------------------|--------------------|
| Freezer lighting  | Yes                |
| Freezer lighting  | Incandescent light |
| Number of drawers | 4                  |

## Other Freezer features

|           |            |
|-----------|------------|
| Ice maker | Automatico |
|-----------|------------|

## Other technical features



|                         |                        |                             |            |
|-------------------------|------------------------|-----------------------------|------------|
| Display functions       | Holiday, Fast-freezing | Type of temperature control | Electronic |
| Fast-freezing button    | Yes                    | No. of compressors          | 1          |
| Power-on light          | Yes                    | Refrigerant gas type        | R600a      |
| Temperature alarm light | Yes                    | Type of compressor          | Inverter   |
| Door-open alarm         | Yes                    |                             |            |


|                   |     |                      |              |
|-------------------|-----|----------------------|--------------|
| Temperature Alarm | Yes | Refrigerant quantity | 85 oz        |
|                   |     | Foam agent           | Cyclopentane |

## Performance / Energy Label

|                                                 |           |                |              |
|-------------------------------------------------|-----------|----------------|--------------|
| Total volume                                    | 150.6 gal | Climatic class | SN, N, ST, T |
| Sum of the volumes of the frozen compartment(s) | 150.6 gal |                |              |

## Electrical Connection

|         |                |                   |          |
|---------|----------------|-------------------|----------|
| Plug    | (B) NEMA 5-15P | Frequency (Hz)    | 60 Hz    |
| Current | 3,5 A          | Power cord length | 78 3/4 " |
| Voltage | 115 V          |                   |          |



---

## Symbols glossary

---



**Fast freezing:** The fast freezing function brings the temperature of the compartment down when activated a few hours prior to usage.



**Inverter technology:** The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



**Power saving mode:** The power saving mode allows you to disable the refrigerator and keep the freezer working.



**No Frost:** The No Frost and Frost free systems prevent ice from forming so that no defrosting is required.

---

## Benefit (TT)

---

### **No-Forst Cooling System**

The No Frost system prevents the formation of ice and contributes to better preservation of food in the refrigerator

### **Door-on-door Hinge**

Fixed hinges, otherwise known as door-on-door hinges, directly connects the cabinet door to the appliance door

The cabinet door will not be attached to the rest of the cabinetry. Instead, it will be completely attached to the appliance door. Therefore, the appliance door will be bearing the weight of the cabinet door. This type of fitting is often sturdier than a sliding hinge fitting, and can give you a sleeker finish.

### **TFT Display**

The TFT display offers an intuitive and elegant interface, making operation simple and immediate with a premium touch

### **Internal illumination**

Interior lighting for perfect visibility of the drawers in the freezer compartment

### **External Handle**

The external handle ensures practicality and ease of use of the freezer

### **R600a Refrigerant Gas**

Environmentally friendly R600a refrigerant gas contributes to rapid cooling with lower energy consumption

### **Automatic Ice Maker**

Automatic ice maker for ice always available when needed