



# JennAir Model: JDRP430HL

RISE™ 30" Dual-Fuel Professional Range


Color  Stainless Steel

## Product Description

Precise, dual flames produced by precision-drilled brass burners. Inside the oven cavity, steady heat weaves around each flat tine. From searing select cuts and simmering sauces to succulent roasts, these ranges offer unmistakable firepower.

## Specifications

### Certifications

ADA Compliant	No
Star K Certified	Yes
UL	Yes
Prop 65	 CALIFORNIA RESIDENTS ONLY - WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

### Oven Cavity Details

Number of Oven Racks	3
Convection Functions	Bake Broil Roast
Oven Rack Type	Gliding Roll-Out
Broiler Location	Top of Oven
Oven Cleaning Type	Self-Cleaning
Door Removable	Yes
Number of Oven Lights	3
Convection Element Type	Dual Fan
Oven Light Type	Halogen
Interior Color	Black
Number of Rack Guides	5
Hidden Bake Element	Yes
Oven Cooking System	True Convection
Broiler Element Power	3,500 W
Bake Element Power	3,000 W
Convection Element Power	2,800
Oven Rack Guide Type	Molded
Automatic Convection	Yes
Oven Light Switch Location	Oven Control

## Details

Cooktop Configuration	All Burners
Design Expression	RISE™
Fuel Type	Dual Fuel
LP Convertible	Yes - Kit Included
Natural Gas Convertible	Yes
Oven Automatic Shut-Off	No
Oven Configuration	Single Oven
Power On Indicator Light	Yes
Power Outage Compatible	Yes (Gas Cooktop Burners)
Range Configuration	Freestanding
Range Type	Professional
Oven Cleaning Type	Self-Cleaning
Cooktop Surface Color	Black
Handle Color	Stainless Steel
Handle Material	Metal
Oven Selections	Audible Signal Bake Broil Cancel/Off Clock Control Lock Convect Modes Cook and Hold Delay Start Favorites Keep Warm Setting Proofing Rapid Preheat Sabbath Mode Slow Cook Temperature Probe Timer Warm Hold

Element/Burner Details

Cooktop Element Style	Sealed Burner
Left Front Element-Burner	20,000 BTU
Left Front Element-Burner	Dual-Stacked Burner
Left Rear Element-Burner	18,000 BTU
Left Rear Element-Burner	Dual-Stacked Burner
Number of Cooking Element-	4
Right Front Element-Burner	20,000 BTU
Right Front Element-Burner	Dual-Stacked Burner
Right Rear Element-Burner	9,000 BTU
Right Rear Element-Burner	Dual-Stacked Burner

Exterior Details

Door Type	Metal & Glass
Handle Material	Metal
Handle Color	Stainless Steel
Handle Type	Towel Bar
Oven Control Knob Color	Stainless Steel
Oven Control Knob Type	Metal
Oven Control Location	Front
Oven Control Type	Knobs
Oven Window Size	Large

Grate Details

Grate Details	Continuous Dishwasher Safe Individual Matte Finish Porcelain Coated Cast
---------------	--

Dimensions

Cutout Depth	24
Cutout Height	36
Cutout Width	30
Depth	29.8125
Depth Closed Excluding	27.688
Depth Closed Including	29.813
Depth With Door Open 90	46.5
Gross Weight	408
Height	36
Net Weight	358
Oven Interior Height	14.3
Oven Interior Depth	16.3
Oven Interior Width	24
Width	29.875
Capacity	4.1
Common Size	30

Smart Compatibility

Connectivity	Amazon Alexa Android Google Assistant iOS
Smart Appliance	Yes
Works With	App Remote Access Voice Controlled WiFi

Cooktop Details

Auto Re-ignition	Yes
Cooktop Control Knob Color	Stainless Steel
Cooktop Control Location	Front
Cooktop Control Knob Type	Metal
Cooktop Control Type	Knobs
Cooktop Surface Color	Black
Cooktop Surface Material	Porcelain Coated Steel
Griddle Included	N/A
Heating Element On	No
Hot Surface Indicator Light	No
Ignition Type	Flame-Sensing™ Re-ignition

Key Features	
Remote Access	
Halo-Effect Knobs	
Cast Iron Grates	
JennAir® Culinary Center	
Dual-Fan True Convection	
Connected Temperature Probe	
Smooth Close Door	
Smooth Close Door	
20,000 BTU Dual-Stacked PowerBurner	
Flat Tine Racks	
Dual-Stacked PowerBurners	
34 Range Configurations	
Seamless Touches	
Glide Racks	
RISE™ Design Expression	
Cinematic Lighting	
Sabbath Mode	
CustomClean™ with Automatic Lock	
Versatile Cooking Modes	
18,000 BTU Dual-Stacked PowerBurner	
9,000 BTU Dual-Stacked PowerBurner	
Closed Door Broiling	
Smart Integration	
Culinary Intelligence	
My Creations	
On-Demand Experts	
Equilibrium Leveling	
Adaptable Installation	
Electronic Ignition with Flame-Sensing™ Reignition	
Star-K Certified	

Electrical Requirements	
Power Cord Included	Yes
Amps	40

UPC Listing	
Model : JDRP430HL	UPC : 8.83049E+11
Model : JDRP430HM	UPC : 8.83049E+11