

# countertop and built-in microwave ovens

A microwave oven for every kitchen.





# Microwave oven quick pitch

# Three categories—a microwave oven for every kitchen



Cooking models

Multiple cooking modes provide great versatility—cooking models bake, broil, brown, roast and grill.



Performance models

Sensor cooking mode automatically delivers exceptional cooking results, while spacious interiors accommodate large or multiple dishes.



Value models

Convenience cooking controls make food preparation easy—at an affordable price.





# Cooking technologies

GE Profile $^{\text{\tiny{M}}}$  and GE $^{\text{\tiny{8}}}$  microwave ovens offer many options for cooking, reheating and defrosting.



# Convection/Combination Cooking

Combines microwave power with traditional radiant heat to bake and roast foods with accuracy and speed.



### Rotisserie


Convenient, removable rotisserie spit slowly rotates, evenly browning your favorite cuts of meats!



# Double-Grill Technology

Uses top and bottom radiant heating elements to ensure even browning on both sides of food.

Not all features available on all models.



# Inverter Technology

Delivers constant power for precise performance, even on low settings such as "warm."



# Sensor Cooking

Uses built-in sensors to automatically set power and time based on food moisture levels.



# **Convenience Cooking**

Offers preprogrammed settings for reheating and defrosting of everyday foods.

# Bold appearance and maximum performance

GE Profile<sup>™</sup> microwave ovens with up to 1200 watts of power



GE Profile convection microwave oven (shown with optional trim kit JX1530CSH) JE1590

- 1.5 cu. ft., 1000 watts\*
- Three oven modes offer tremendous cooking versatility: convection, combination, sensor.
- Curved design complements other GE Profile appliances for a coordinated overall look.
- Optional trim kit available.\*\*



### GE Profile inverter microwave oven JES2251

- 2.2 cu. ft., 1200 watts\*
- Inverter technology delivers consistent power for precise performance at low microwave levels.
- Spacious 2.2 cu. ft. interior (GE's largest) allows consumers to heat and defrost multiple dishes at once.
- Sensor cooking controls automatically adjust time and power for exceptional cooking results.
- Scrolling LED display provides helpful, easy-to-read cooking tips.

# Performance features deliver outstanding results

GE Profile<sup>™</sup> microwave ovens with up to 1200 watts of power



GE Profile sensor microwave oven (shown with optional trim kit JX2130SH) JE2160

- 2.1 cu. ft., 1200 watts\*
- Sensor cooking controls automatically adjust time and power for exceptional cooking results.
- Auto or Time Defrost automatically defrosts food.
- 16" recessed turntable with Instant On controls continually rotates food to ensure even cooking.
- Optional trim kit available.\*\*



GE Profile sensor microwave oven (shown with optional hanging kit JXA019K) JEM31

- 1.0 cu. ft., 800 watts\*
- Sensor cooking controls automatically adjust time and power for exceptional cooking results.
- Scrolling LED display provides helpful, easy-to-read cooking tips.
- Turntable on/off is ideal for oversized, oblongshaped dishes.
- Optional trim kit available.\*\*
- Optional hanging kit available.\*\*

# Versatile features fit every lifestyle

### GE® microwave ovens with up to 1150 watts of power



# GE sensor microwave oven (shown with optional trim kit JX1830SB) JE1860

- 1.8 cu. ft., 1100 watts\*
- Sensor cooking controls automatically adjust time and power for exceptional cooking results.
- Scrolling LED display provides helpful, easy-to-read cooking tips.
- Turntable on/off is ideal for oversized, oblongshaped dishes.
- Optional trim kit available.\*\*



# GE sensor microwave oven JF1460

- 1.4 cu. ft., 1150 watts\*
- Sensor cooking controls automatically adjust time and power for exceptional cooking results.
- Auto or Time Defrost automatically defrosts food.
- Recessed turntable maximizes usable oven space.
- Instant On controls allow quick, one-touch cooking and reheating.



# GE convection microwave oven JES1290

- 1.2 cu. ft., 1000 watts\*
- Four oven modes offer exceptional cooking versatility: convection, combination, sensor and double-grill.
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Stainless steel, retro-style design makes a bold, kitchenenhancing statement.



# GE double-grill rotisserie microwave oven JES1289

- 1.2 cu. ft., 1000 watts\*
- Double-grill technology browns food evenly on both sides; easy-to-use removable rotisserie spit lets you enjoy delicious, home-cooked rotisserie chicken, roasts and more—right from your microwave!
- Preprogrammed menu items let you brown, crisp, grill, reheat and defrost at the touch of a button.
- Fully functional microwave oven offers multiple cooking options to meet a variety of cooking needs.
- Stainless steel, retro-style design makes a bold, kitchenenhancing statement.

# Microwave technology for every kitchen

GE® microwave ovens with up to 1100 watts of power



# GE double-grill microwave oven JES1288

- 1.2 cu. ft., 1000 watts\*
- Double-grill technology ensures even browning of food on both sides, with no turning necessary.
- Adjustable dial and button controls allow for quick, easy adjustment of time and temperature settings.
- Preprogrammed menu items let you brown, crisp, grill, reheat and defrost at the touch of a button.
- Stainless steel, retro-style design makes a bold, kitchen-enhancing statement.



# GE top-browning microwave oven JES1384

- 1.3 cu. ft., 1000 watts\*
- Top-browning capability cooks the surface of food, producing a crisp texture.
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Stainless steel exterior with tubular handle offers a sleek look that complements any kitchen.



# GE sensor microwave oven JF1160

- 1.1 cu. ft., 1100 watts\*
- Sensor cooking controls automatically adjust time and power for exceptional cooking results.
- Auto or Time Defrost automatically defrosts food.
- Recessed turntable maximizes usable oven space.

# The ultimate in convenience cooking

# GE microwave ovens with 1100 watts of power



# GE microwave oven with convenience cooking JES1334

- 1.3 cu. ft., 1100 watts\*
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Auto or Time Defrost automatically defrosts food.
- Add 30 seconds extends cooking time without the hassle of reprogramming.



# GE microwave oven with convenience cooking JES1142

- 1.1 cu. ft., 1100 watts\*
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Auto or Time Defrost automatically defrosts food.
- Express Cook feature allows you to extend cooking time in one-minute increments.



# GE microwave oven with convenience cooking JES1039

- 1.0 cu. ft., 1100 watts\*
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Auto or Time Defrost automatically defrosts food.
- Add 30 seconds extends cooking time without the hassle of reprogramming.

# Convenience cooking and great value

GE® microwave ovens with up to 800 watts of power



### GE microwave oven with convenience cooking (shown with optional trim kit JX827WN) JEM25

- 1.0 cu. ft., 800 watts\*
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Auto and Time Defrost automatically defrost for a specified amount of time.
- Turntable continually rotates food to ensure even cooking. Turntable off feature is ideal for oversized, oblong-shaped dishes.
- Optional trim kit available.\*\*
- Optional hanging kit available.\*\*



### GE microwave oven with convenience cooking (shown with optional hanging kit JXA019K) JE740

- 0.7 cu. ft., 700 watts\*
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Auto Defrost automatically sets the defrosting times and power levels to give even defrosting results for meats, poultry and fish weighing up to six pounds.
- Glass turntable continually rotates food and ensures even cooking.
- Optional hanging kit available.\*\*



### GE microwave oven with convenience cooking **JES735**

- 0.7 cu. ft., 700 watts\*
- Convenience cooking controls allow cooking and reheating at the touch of a button.
- Auto Defrost automatically sets the defrosting times and power levels to give even defrosting results for meats, poultry and fish weighing up to six pounds.
- Glass turntable continually rotates food and ensures even cooking.

<sup>\*</sup>IEC-705 test procedure

# Flexible installation

# Optional trim and hanging kits give GE Profile<sup>™</sup> and GE microwave ovens an integrated look

An optional 27" or 30" trim kit allows built-in installation into a wall, in a cabinet, or over a single electric wall oven. A hanging kit allows easy oven mounting beneath a cabinet to free up valuable counter space.



Countertop microwave oven



Microwave oven with built-in trim kit



Microwave oven with hanging kit

# Microwave ovens

THEFOVOR										
		GE Profile™	GE Profile			GE®		GE		
		JE1590SH JE1590WH JE1590CH JE1590BH	JES2251SJ	JE2160SF JE2160WF JE2160CF JE2160BF	JEM31SF JEM31WF JEM31CF JEM31BF	JE1860SH JE1860WH JE1860CH JE1860BH	<u>JE1460WF</u> JE1460BF	JES1290SK	JES1289SK	
"Cooking" model		•						•	•	
"Performance" m "Value" model	odel	•	•	•	•	•	•	•	•	
Capacity										
Oven cavity (cu. ft.)		1.5	2.2	2.1	1.0	1.8	1.4	1.2	1.2	
Features Watts (IEC-705 test p	rocoduro)	1000	1200	1200	800	1100	1150	1000	1000	I
Inverter technology	nocedure)	1000	•	1200	800	1100	1130	1000	1000	
Cashina slamant								Top-1200W; Bottom-400W	Top-1200W; Bottom-400W	
Cooking element Electronic touch con	trols	Tactile/Dial	•	•	•	•	•	• BULLUITI-400W	Tactile/Dial	
Scrolling display with	n Help Pad	2-Line	•	•	•	•	•	•	•	
Demo mode Electronic digital disp	olau w/clock	•		•	•	•	•		•	
Display On/Off		•		•		•				
Convection Cook Combi	ination cook	•						● MW & Convect.		
	ination roast	•						• MINN & CONVECT.		
Grill Top Br										
controls Double Rotisse								•	•	
Sensor Popco		•		•	•	•	•			
controls Bevero		•	•	•	•	•	•			
Rehea Breakf		•	•		•	•	•			
Lunch	/Snack		•							
Dinner Vegeto			•	•	•	•	•			
Potato	)			•	•	•	•			
	en/Fish			•	•	•	•			
Rice Soup										
Frozen	dinner									
Convenience Popco controls Bevero								•	•	
Rehea								•	•	
Snack										
<u>Vegeta</u> Potata										
Cook										
Dinner Pizza	r plate									
Express Cook		1–6 min.		1–6 min.	•	1–6 min.	1–6 min.	1–6 min.		
Warm control		_	•					_	_	
Instant On controls Time cook		•   [&	1&11	1&11	1&11	1&11	1&11	•  &	•	
Add 30 Seconds			1 minute	•	•	•	•	•	•	
Auto/Time Defrost Quick Defrost		•	•	•	•	•	•	•	•	
Power levels		10	10	10	10	10	10	10	10	
Turntable		Recessed	•	•	On/Off	On/Off	Recessed	• loss	•	
Kitchen timer Delay Start/Reminde	er	Timer On/Off	Timer On/Off ●/ –	Timer On/Off ●	Timer On/Off	Timer On/Off ●	Timer On/Off	Timer On/Off	•	
Cooking complete re		•		•	•	•	•	•		
Child lockout  Appearance		•	•	•	•	•	•	•	•	
Color appearance*		SS/WW/CC/BB	SS	SS/WW/CC/BB	SS/WW/CC/BB	SS/WW/CC/BB	WW/BB	SS	SS	
Case color		BB/WW/CC/BB	SS	BB/WW/CC/BB	SS/WW/CC/BB	BB/WW/CC/BB	WW/BB	SS	SS	
Door color Weights & Dimens	sions	SS*/WW/CC/BB	SS	SS*/WW/CC/BB	SS*/WW/CC/BB	SS*/WW/CC/BB	WW/BB	SS	SS	
Approx. shipping we		59	51	51	40	48	45	49	48.1	
	Cavity	15-1/4 x 10-7/8 x 15-1/4	18-1/2 x 11 x 18-1/2	17 x 11-1/2 x 19	16-1/2 × 7-7/16 × 11-1/4	17-1/16 x 9-3/4 x 18-5/16	14-13/16 × 9-7/8 × 16	14-1/2 x 9-5/8 x 15-5/8	14-1/2 x 9-5/8 x 15-5/8	
WxHxD	Cavity	22-5/8 x 14-7/8	24 x 13-3/4	24 x 13-13/16	23-25/32 x 11-3/16	23-7/8 x 13-9/16	21-7/8 × 12-5/8	22 x 13-1/2	22 x 13-1/2	
(in inches)	Exterior**	x 19-7/8	× 19-7/16	x 19-1/2	x 12-9/32	× 18-13/16	x 17-1/4	× 20-1/4	x 18-1/2	
Power/Ratings 2450 frequency (MHz	7)	•	•	•	•	•	•	•	•	
Electric input	Watts	1500	1650	1550	1300	1550	1600	1500	1800	
	Amperage	13	13.9	13.9	11.5	13.6	13.5	13	15	
Accessories Cooking guide label		•	•	•	•	•	•	•	•	
Cookbook		•							Guide	
Oven rack Optional 30" built-in	trim kit†	● JX1530CSH		JX2130SH		JX1830SB		•	•	
optional 30 Dulli-IN	GIIII AIL	JX1530CSH JX1530CWH		JX2130WH		JX1830WB				
		 JX1530CBH		JX2130CH JX2130BH		JX1830CB JX1830BB				
Optional 27" built-in	trim kit†	JX1527CSH		JX2127SH	JX827SS	JX1827SB				
		JX1527CWH		JX2127WH	JX827WN	JX1827WB				
				JX2127CH JX2127BH	 JX827BN	JX1827CB JX1827BB				
Optional hanging kit	t				JXA019K					
Warranty Limited one-year										
in-home warranty**	*	•	•	•	•	•	•	•	•	
Limited five-year magnetron warrant	ı***	•	•	•	•					
magnetron warrafill	9	1000	· · · · · · · · · · · · · · · · · · ·	· · · · · ·		I	I		1	I

magnetron warranty\*\*\*

\*SS = Stainless steel, WW = White on white, CC = Bisque on bisque, BB = Black on black

\*\*Exterior dimensions: height includes feet, depth does not include handle.

14

\*\*See written warranty for details.

¹Available at additional cost.

		GE	GE					
JES1288SH	JES1384SF	JE1160WD JE1160BD	<u>JES1334SD</u> <u>JES1334WD</u> JES1334BH	JES1142SJ	JES1039WJ JES1039BJ	JEM25WF JEM25BF	JE740WK JE740BK	JES735WJ
•	•	•						
•	•		•	•	•	•	•	•
1.2	1.3	1.1	1.3	1.1	1.0	1.0	.7	.7
1000	1000	1100	1100	1100	1100	800	700	700
1000	1000	1100	1100	1100	1100	800	700	700
Top-1200W; Bottom-400W	Top-1100W							
Tactile/Dial	Tactile/Dial	•	•	•	•	•	•	•
•		Help Only	•					
		•	•			•	•	•
•								
•	•							
•								
		•						
		•						
		Fresh/frozen						
		•						
		-/•						
		•						
•	•	•	•	•	•	•	•	•
•	•		•	•	•	•	•	•
•			•	•	•	•	•	
							•	
	•		•	•		•	•	•
								•
1–6 min.	30 sec.	30 sec.	1–6 min.	• Start pad	● 1–6 min.	•	•	•
				·				
•	•	1&11	1&11	1&11	1&11	1&11	1&11	1&11
•	•	•	•		•	•	•	•
•	•	•	•	•	•	•	Auto	Auto
10	10	10	10	10	10	10	10	10
•	•	•	•	•	•	On/Off •	•	•
			•/-	•	•	•	•	_
•	•	•	•	•	•	•	•	•
		1484/00	CC/MM/DD		1444/00	14/44/00	14/14/00	1404/
SS SS	SS SS	WW/BB WW/BB	SS/WW/BB BB/WW/BB	SS SS	WW/BB WW/BB	WW/BB WW/BB	WW/BB WW/BB	WW
SS	SS	WW/BB	BB/WW/BB	SS	WW/BB	WW/BB	WW/BB	WW
49	40	37	44	40	37	40	33	25.3
14-1/2 × 9-5/8 × 15-5/8	15 x 9-11/16 x 15-1/4	13-11/16 x 8-1/2 x 14-15/16	14-1/2 x 9-1/5 x 15-1/4	14 x 9 x 14-11/16	13-1/4 x 9-1/8 x 13-3/4	16-1/2 x 7-7/16 x 11-1/4	12 -3/16 × 7-13/16 × 11-9/16	12-3/8 x 7-15/16 x 11-9/16
22 x 13-1/2	22-3/16 x 12-1/2	21-1/4 x 11-7/8		21-1/4 x 11-7/8	20-3/8 × 11-11/16	23-25/32 x 11-3/16	17-15/16 x 11-1/16	17-7/8 × 10-3/16
× 18-1/2	x 17-3/8	x 15-7/8	22 x 12 x 17	x 15-3/4	× 14-15/16	x 12-9/32	× 12-5/16	x 13
•	•	•	•	•	•	•	•	•
1800 15	1530 13	1500 13	1530 13.5	1500 13	1560 14	1300 11.5	1150 10.5	1150 10.5
			13.3					
● Guide	•	•		•	•	•	•	•
•	•							
						JX827SS		
						JX827WN		
						JX827BN		
						JXA019K	JXA019K	
•	•	•	•	•	•	•	•	•



### Cooking

Multiple oven modes and advanced cooking technology deliver expanded options for baking, broiling, roasting and grilling.



### Performance

Sensor cooking controls automatically adjust time and power for delicious results, while spacious interiors allow heating and defrosting of multiple dishes simultaneously.



### Value

Affordably priced ovens feature preprogrammed settings that allow cooking and reheating at the touch of a button.



A Century of Quality and Innovation

For more than a century, GE has been committed to producing innovative products that change the way people live. The result of thorough research and rigorous testing, GE appliances are designed for years of dependable performance.

Today, the GE tradition of quality and innovation continues.