



SPEC SHEET

KoolMore 50 in. Gelato Dipping Cabinet Display Freezer with Sliding Glass Door and Sneeze Guard 13 cu. ft.

Model: KM-GDC-49SD-FG

FEATURES

- Professional Gelato Dipping Cabinet
- Top-sliding glass door and sneeze guard
- Enhanced storage space
- Rolling, lockable caster wheels
- Interior LED lighting
- Commercial gelato dipping cabinet
- ETL Listed for safety and sanitation
- Adjustable temperature range: 36°F to -15°F



CLOSE UP IMAGES



TECHNICAL SPECS

Dimensions

Length	49.6
Width	28.14
Height	52.1
Interior Depth	21.2
Interior Width	44
Interior Height	25.4
Dxwxh Of Sneeze Guard	51.1x21.2x17.7
Power Cord Length	70.8
Weightlbs	209

Capacity

Gross Cubic Feet	13
Net Cubic Feet	10.2
Pan Capacity	9 5L Pans


Features & Materials

Door Style	Sliding
Number Of Doors	2
Defrost Type	Manual
Refrigerant Type	R-290
Control Type	Digital
Ambient Temperature Range	0-100 F
Temperature Range	-15-32 F
Casters	4
Glass Type	LOW-E and Tempered
Color Finish	White
Interior Color	White
Exterior Material	Durable Powder Coated Steel
Interior Material	Precoated Steel
Interior Lights	LED
Interior Lights Location	On the two sides of the inside cabinet

Electric & Certifications

Amps	3
Hertz	60
Phase	1
Plug Type	NEMA 5-15P
Voltage	110
Wattage	260
Horsepower	0.4
Certifications	ETL Listed for Safety and Sanitation

Plan View



CERTIFICATIONS

The certifications section contains two logos. The first is the ETL US logo, which consists of the letters 'ETL' inside a circle with 'US' to the right and 'LIMITED' below. The second is the ETL CERTIFICATION SYSTEM logo, which consists of the letters 'ETL' inside a circle with 'CERTIFICATION SYSTEM' to the right and 'LIMITED' below. Both logos are associated with Intertek.



706 Eastern Parkway STE 1G, Brooklyn NY 11213
718-576-6342
info@koolmore.com