




USER MANUAL

Prep Refrigerator

Commercial Pizza Prep Refrigerator

Models: KM-RPPS-1DSS | KM-RPPS-2DSS | KM-RPPS-3DSS
RWT-2D-12C



Before using, please read the operating instructions carefully to ensure proper application and achieve satisfactory results.

For any service-related issues, please contact us:



718-576-6342



support@koolmore.com

***Stay informed with the latest information
for your KoolMore Appliance.***

**If you need any assistance or have questions, our customer
support team is here to help.**

SAFETY

Safety Precautions

Ensure there's ample space between the appliance, the wall, and the ceiling—do not seal the back part entirely; instead, allow for an air vent leading outside.

Note: Maintain a gap of more than 20 cm (about 8 inches) from the appliance to any wall.

Remove all packaging material from the bottom to allow heat to escape and prevent fire hazards.

Storing flammable or explosive materials near the appliance is strictly prohibited due to the risk of explosion.

Only use an individual single-phase electrical socket that's properly grounded for this appliance.

Caution: Never connect the appliance's grounding wire to any water or gas pipes.

Avoid moving the appliance in a manner that causes hard collisions or vibrations, especially if the appliance is tilted more than 45 degrees.

If you encounter operational issues, consult the trouble-shooting guide or contact a certified technician. Do not attempt repairs yourself.

Danger: Recognize the risk of fire or explosion due to the flammable refrigerant. Avoid using mechanical devices for defrosting or puncturing the refrigerant tubing. Repairs should only be performed by qualified service personnel.

Caution: Always consult the owner's manual or repair guide before attempting any service on the appliance. Follow all prescribed safety measures.

Dispose of the appliance in compliance with local and federal environmental regulations due to the risk associated with flammable refrigerants.

Be cautious when handling to avoid puncturing the refrigerant tubing.

Keep all ventilation openings in the appliance clear to ensure proper function.

Servicing should only be conducted by authorized service personnel to reduce the risk of ignition from incorrect parts or improper service.