

36" Built-In Bottom Freezer Refrigerator

Panel Ready

S36BFR700BIP



KEY FEATURES

- ENERGY STAR® certified 36-inch built-in bottom-mount refrigerator featuring 19.8 cu. ft. of total storage capacity and a panel-ready design for seamless integration into custom cabinetry.
- Dual Cooling System uses independent evaporators for the refrigerator and freezer compartments to prevent odor transfer while maintaining optimal humidity and temperature levels.
- Fresco temperature-controlled drawer offers adjustable temperatures from 30°F to 41°F, providing dedicated storage for meats, seafood, dairy products, and delicatessen items.
- Internal digital LED touch controls with dedicated refrigerator, freezer, and Fresco drawer temperature management.
- Full LED interior lighting, adjustable glass shelves, gallon-size door bins, dual crispers, and spacious freezer drawers provide flexible food storage solutions.
- Reversible door configuration accommodates both left- and right-hand installations for greater design flexibility.
- 2-year parts and labor warranty.
- ADA Compliant



CAPACITY

Refrigerator	14.2 cu. ft.
Freezer	5.6 cu. ft.
Total	19.8 cu. ft.



PRODUCT FEATURES

Size	Width 36 inches
Door finish	Panel Ready
User interface	Internal digital LED touch interface
Lighting	Full LED interior lighting
Refrigerator shelves	1 stationary + 2 adjustable safety glass shelves
Refrigerator drawers	1 crisper drawer + 1 Fresco drawer with independent temperature control
Freezer compartment	2 freezer components
Door storage	1 gallon-size bin + 2 adjustable door bins
Settings	Super Freeze, Holiday Mode, Sabbath Mode, Eco Mode, Child Lock


TECHNICAL SPECIFICATIONS

Electrical supply	115 V / 60 HZ / 3 Amp
Power connection	NEMA 5-15P with 90" power cord
Sound rating	41 dBA
Water connection	1/4" waterline with shut-off valve
Water supply pressure	25-80 psi (1.7-5.5 bar)
Energy certification	Energy Star Certified
Warranty	2 years parts & labor
Packaging dimensions	W 38 1/4" H 90 9/16" D 26 3/8"
Weight	402 lbs

36" Built-In Bottom Freezer Refrigerator


Panel Ready

S36BFR700BIP



CUTOUT DIMENSIONS



SINGLE INSTALLATION



ELECTRICAL & WATER CONNECTION

A properly-grounded, electrical receptacle should be installed. A separate circuit breaker servicing only this appliance is recommended. Do not use a multi-purpose socket with other electrical appliances.

To connect to the water supply system, use a $\frac{1}{4}$ " waterline with accessible shut-off valve with a length of 60".



INSTALLATION REQUIREMENTS

If the appliance(s) is not connected through the side profile trims to secured cabinetry, anti-tip brackets must be installed. The max weight for the cabinet panel is 44 lbs (20kg) for the refrigerator doors and 20 lbs (9kg) for the freezer door. For a flush installation, cabinet panels should not be thicker than $\frac{3}{4}$ ".

36" Built-In Bottom Freezer Refrigerator

Panel Ready

S36BFR700BIP



CUSTOM DOOR PANELS SPECIFICATION

Panels to be manufactured and fitted by cabinet maker and installer

NOTE: These specifications assume a standard toe kick height of 4". For different toe kick heights, adjust C accordingly.

Dimensions - Inches		
(A)	Height of top door panel	51 1/16"
(B)	Width of top door panel	35 3/4"
(C)	Height of bottom drawer panel	28 11/16"
(D)	Height from bottom of product to top of bottom drawer panel	32 11/16"
(E)	Width of bottom drawer panel	35 3/4"
(F)	Gap between top door panel and bottom drawer panel	1/8"
(G)	Toe kick height	4"
(A+D)	Overall height	83 3/4"
Thickness of custom panels		min 3/4" - max 1 1/2"

WEIGHT - POUNDS	
Maximum weight of top door panel	35 lbs
Maximum weight of bottom drawer panel	20 lbs