

SOU3300TX



Category 30" **Product family** Oven Power supply Electrical Power supply Electricity

Cooking method Thermo-ventilated Cleaning system VaporClean

EAN code 8017709304027



Aesthetic

Aesthetics Classic Stainless steel type **Brushed** Color Stainless steel Silkscreen color Black **Finishing** Fingerprint-proof

Design Flat

Material Stainless steel Silkscreen type

Symbols and wordings Logo

Embossed

Controls

Display technology



Display name DigiScreen No. of controls 2

Programs / Functions

No. of cooking functions 9 Traditional cooking functions

LED

Static Fan-assisted True European convection

Fan grill (small) Turbo Large grill

Fan grill (large) **Bottom** Convection bottom



Other functions

Defrost

Cleaning functions

Vapor Clean

Options

Time-setting options Delayed start and

automatic shut-off when

cooking ends

1700 W

Minute minder Yes **Timer** 1

Technical Features











100 °F

Minimum Temperature 500 °F Maximum temperature No. of shelves 6

Fan Single No. of lights 2

Lighting Halogen Replaceable light Yes Light power 40 W Yes

Light on when door is open

Lower heating element power

Upper heating element - 1200 W

Power

Grill element - power 1700 W Large grill - Power 2900 W Circular heating element 2500 W

- Power

Heating elements stop Yes

when door is opened

Door Cool-touch door

Removable inner door Yes Total no. of door glasses 3

Cooling system **Tangential** Cooling duct Double Cooling System Speed Yes

Reduction

Temperature control Electro-mechanical Cavity material EverClean enamel

Performance / Energy Label

Volume of the cavity 3.92 cu. ft.


Accessories Included

Rack with back stop 2

Electrical Connection

Voltage 230 V Current 14 A Nominal power 3700 W Frequency 60 Hz 45 1/4 " Voltage 120/208 V Power cord length







Compatible Accessories

KITUH30



KIT Usa Height 30'oven , from 27' 3/8 to 27' 15/16 niche height

STONE

Rectangular refractory stone PPR2. Ideal for cooking pizzas with the same results as a typical wood-fired oven. Can also be used for baking bread, focaccias and other recipes such as pies, flans or biscuits Dimensions:L42 x H1,8 x P37,5 cm.



Symbols glossary



A: Product drying performance, measured from A+++ to D / G depending on the product family



Air cooling system: to ensure a safe surface temperatures.



With the switch on this symbol, no heating is possible even if the thermostat is turned.





Triple glazed doors: Number of glazed doors.



Electric



Enamel interior: The enamel interior of all Smeg ovens have a special antacid lining which helps keep the interior clean by reducing the amount of cooking grease adhering to it.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Circogas: In gas ovens the fan distributes the heat quickly and evenly throughout the oven cavity, avoiding flavour transfer when cooking a number of different dishes at the same time. In electric ovens this combination completes cooking more quickly of foods that are ready on the surface, but that require more cooking inside, without further browning.



Fan with upper and lower elements: The elements combined with the fan aim to provide more uniform heat, a similar method to conventional cooking, so pre-heat is required. Most suitable for items requiring slow cooking methods.



Upper and lower element only: a traditional cooking method best suited for single items located in the centre of the oven. the top pf the oven will always be hottest. Ideal for roast, fruit cakes, bread etc.



Lower heating element only: This function is ideal for foods that require extra base temperature without browning, e.g. pastry dishes, pizza. Also suitable for slow cooking of stews and casseroles.



True European Convection: The combination of the fan and circular heating element around it provides many benefits, including no preheat if cooking time is longer than 20 minutes, no flavor transfer when cooking different foods at the same time, lower energy consumption, and shorter cooking times. Suitable for all types of food preparations.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.



Grill element: Using of grill gives excellent results when cooking meat of medium and small portions, especially when combined with a rotisserie (where possible). Also ideal for cooking sausages and bacon.



Fan with grill element: The fan reduces the fierce heat from the grill, providing an excellent method of grilling various foods, chops, steaks, sausages etc. giving even browning and heat distribution, without drying out the food. The top two levels recommended for use, and the lower part of the oven can be used to keep items warm at the same time, an excellent facility when cooking a grilled breakfast. Half grill (centre portion only) is ideal for small quantities of food.





Circulaire with upper and lower elements: The use of the fan with both elements allows food to be cooked quickly and effectively, ideal for large joints that require thorough cooking. It offers a similar result to rotisserie, moving the heat around the food, instead of moving the food itself, enabling any size or shape to be cooked.



All glass inner door: All glass inner door, a single flat surface which is simple to keep clean.



The inner door glass: can be removed with a few quick movements for cleaning.



Side lights: Two opposing side lights increase visibility inside the oven.



The oven cavity has 6 different cooking levels.



Vapor Clean: a simple cleaning function using steam to loosen deposits in the oven cavity.



The capacity indicates the amount of usable space in the oven cavity in litres.