Nostalgie

Nostalgie range cookers integrate highly professional technologies and excellent materials with a classic style that is always inspiring. Undisputed protagonists of the kitchen, they offer a complete choice of sizes (from 30 to 60 inches) and various configurations: you can choose the flush-top induction up to 6 cooking zones with bridge function for 48 inches version, single or double oven, standard colors or RAL colours on request, various finishes and accessories. Only available as an option for the Nostalgie collection, Noblesse frames are more than just a detail: they are a fine design feature that frames the front panels, matching the metallic finishes of the handles and knobs. The blind door inspired by the past is another option that elegantly enriches the style of Nostalgie.



<u>Finisnes</u> Knobs, handles, feet, frames



Burnished – B Copper – P

Brass – G



Dual gas burners with power up to btu 20000 as standard





treatment





supports.

One control for both ovens

Precise electronic temperature control

Total Black brass

flame spreader

with non-stick nanotechnological

Door and drawer with soft-closing system

Highly specialised

cooktops

Cold door with triple removable glass

Hob with cast iron pan



Quick start



Abacus of colors and finishes





















Ovens available for Nostalgie range cookers

General features	UOV 80 M	<u>UOV 76 M</u>	UOV 60 M
	Large multi-function electric oven	Large 30" multi-function electric oven	Standard multi-function electric oven
Cooking modes	9	9	9
Operating temperature	100-500°F	100-500°F	100-500°F
Programmer	electronic	electronic	electronic
Electronic temperature control			-
Cooking probe			_
Lighting	Double internal light	Double internal light	Double internal light
Automatic oven light switch on			_
Soft-closing door	Yes	Yes	Yes
Door glass	Triple glass cold door	Triple glass cold door	Triple glass cold door
Ventilation	cooling tangential	cooling tangential	cooling tangential
Child lock			-
Cavity features			
Cavity	with easy clean enamel	with easy clean enamel	with easy clean enamel
nternal dimensions (inches)	25%×14%×16%	25¾6×17×16⅛	19¾6×14¾6×16⅛
Capacity (cu. ft.)	3.5	4.00	2.3
Steam discharge		-	-
Folding grill heating element	Yes	Yes	Yes
Rotisserie	diagonal	diagonal	-
Thermostat	analog	analog	analog
Consumption			
Maximum input	3.7 kW	3.7 kW	3.5 kW
Top electrical heating element	1300 W	1300 W	1090 W
Bottom electrical heating element	1470 W	1700 W	1200 W
Electric grill	2340 W	3265 W	2285 W
Circular heating element	2290 W	2×1145 W	2290 W

Cooking modes



*

UOV40 E

UOV30 E

Medium static electric oven	Small static electric oven
4	4
100-500°F	100-500°F
-	-
-	-
-	-
Internal light	Internal light
-	-
Yes	Yes
Triple glass cold door	Triple glass cold door
cooling tangential	cooling tangential
-	-

with easy clean enamel	with easy clean enamel
14%×14×175/16	101/8×14×175/16
2.00	1.52
Yes	Yes
-	-
Yes	Yes
analog	analog

2.8 kW	2.5 kW
925 W	870 W
1035 W	870 W
1740 W	1630 W



