

Commercial-Style Range & Rangetop Ventilation Pairings

- Approved
- Not approved

					Commercial-Style								
					Dual Fuel Ranges			Gas Ranges			Gas Rangetops		
					KFDC558J	KFDC506J	KFDC500J	KFGC558J	KFGC506J	KFGC500J	KCGC558J	KCGC506J	KCGC500J
					48"	36"	30"	48"	36"	30"	48"	36"	30"
Ventilation	Commercial-Style	Model No.	Size	CFM Motor Class*	BTU Threshold								
		KVWC958K	48"	585/1170	90K/105K	•	•	•	•	•	•	•	•
		KVWC956K	36"	585/1170	90K/105K	—	•	•	—	•	—	•	•
		KVWC908K	48"	585/1170	90K/105K	•	•	•	•	•	•	•	•
		KVWC906K	36"	585/1170	90K/105K	—	•	•	—	•	—	•	•
		KVUC606K	36"	585	90K	—	•	•	—	•	—	•	•
	Island-Mount	KVUC600K	30"	585	75K	—	—	•	—	—	•	—	•
		KVIB602D	42"	585	65K	—	—	—	—	—	—	—	—
	Wall-Mount	KVIB606D	36"	585	65K	—	—	—	—	—	—	—	—
		KVWB606D/H	36"	585	65K	—	—	—	—	—	—	—	—
		KVWB600D/H	30"	585	65K	—	—	—	—	—	—	—	—
		KVWB406D	36"	400	65K	—	—	—	—	—	—	—	—
	Under-Cabinet	KVWB400D	30"	400	65K	—	—	—	—	—	—	—	—
		KVUB606D	36"	585	65K	—	—	—	—	—	—	—	—
		KVUB600D	30"	585	65K	—	—	—	—	—	—	—	—
		KVUB406G	36"	400	65K	—	—	—	—	—	—	—	—
	Slide-Out	KVUB400G	30"	400	65K	—	—	—	—	—	—	—	—
		KXU2836J	36"	330	65K	—	—	—	—	—	—	—	—
	Downdraft	KXU2830J	30"	330	65K	—	—	—	—	—	—	—	—
		KXD4636Y	36"	585	65K	—	—	—	—	—	—	—	—
	Liners	KXD4630Y	30"	585	65K	—	—	—	—	—	—	—	—
		UVL6048J	48"	585/1170	65K	—	—	—	—	—	—	—	—
		UVL6036J	36"	585/1170	65K	—	—	—	—	—	—	—	—

*Performance varies based on installation. Resources available at AHAM.org.
Visit KitchenAid.com for dimension guide.

Gas Cooktop Ventilation Pairings

- Approved
- Not approved

					Cooktops							
					Gas							
					KCGS956E	KCGS556E	KCGS356E	KGCC566R	KCGS950E	KCGS550E	KCGS350E	KGCC506R
	Model No.	Size	CFM Motor Class*	BTU Threshold	36"	36"	36"	36"	30"	30"	30"	30"
Ventilation	Commercial-Style	KVWC958K	48"	585/1170	90K/105K	—	—	—	—	—	—	—
		KVWC956K	36"	585/1170	90K/105K	—	—	—	—	—	—	—
		KVWC908K	48"	585/1170	90K/105K	—	—	—	—	—	—	—
		KVWC906K	36"	585/1170	90K/105K	—	—	—	—	—	—	—
		KVUC606K	36"	585	90K	—	—	—	—	—	—	—
		KVUC600K	30"	585	75K	—	—	—	—	—	—	—
	Island-Mount	KVIB602D	42"	585	65K	•	•	•	•	•	•	•
		KVIB606D	36"	585	65K	•	•	•	•	•	•	•
	Wall-Mount	KVWB606D/H	36"	585	65K	•	•	•	•	•	•	•
		KVWB600D/H	30"	585	65K	—	—	—	•	•	•	•
		KVWB406D	36"	400	65K	•	•	•	•	•	•	•
		KVWB400D	30"	400	65K	—	—	—	•	•	•	•
	Under-Cabinet	KVUB606D	36"	585	65K	•	•	•	•	•	•	•
		KVUB600D	30"	585	65K	—	—	—	•	•	•	•
		KVUB406G	36"	400	65K	•	•	•	•	•	•	•
		KVUB400G	30"	400	65K	—	—	—	•	•	•	•
	Slide-Out	KXU2836J	36"	330	65K	•	•	•	•	•	•	•
		KXU2830J	30"	330	65K	—	—	—	•	•	•	•
	Downdraft	KXD4636Y	36"	585	65K	•	•	•	—	—	—	—
		KXD4630Y	30"	585	65K	—	—	—	•	•	•	•
	Liners	UVL6048J	48"	585/1170	65K	•	•	•	•	•	•	•
		UVL6036J	36"	585/1170	65K	•	•	•	•	•	•	•

*Performance varies based on installation. Resources available at AHAM.org.
Visit KitchenAid.com for dimension guide.

Electric & Induction Cooktop Ventilation Pairings

- Approved
- Not approved

					Cooktops				
					Electric			Induction	
					KCES556H	KCES550H	KECC056R	KICU569X	KICU509X
					36"	30"	15"	36"	30"
Ventilation	Commercial-Style	Model No.	Size	CFM Motor Class*	BTU Threshold	—	—	—	—
		KVWC958K	48"	585/1170	90K/105K	—	—	—	—
		KVWC956K	36"	585/1170	90K/105K	—	—	—	—
		KVWC908K	48"	585/1170	90K/105K	—	—	—	—
		KVWC906K	36"	585/1170	90K/105K	—	—	—	—
		KVUC606K	36"	585	90K	—	—	—	—
	Island-Mount	KVUC600K	30"	585	75K	—	—	—	—
		KVIB602D	42"	585	65K	•	•	•	•
	Wall-Mount	KVIB606D	36"	585	65K	•	•	•	•
		KVWB606D/H	36"	585	65K	•	•	•	•
		KVWB600D/H	30"	585	65K	—	•	—	•
		KVWB406D	36"	400	65K	•	•	•	•
		KVWB400D	30"	400	65K	—	•	—	•
	Under-Cabinet	KVUB606D	36"	585	65K	•	•	•	•
		KVUB600D	30"	585	65K	—	•	—	•
		KVUB406G	36"	400	65K	•	•	•	•
		KVUB400G	30"	400	65K	—	•	—	•
	Slide-Out	KXU2836J	36"	330	65K	•	•	•	•
		KXU2830J	30"	330	65K	—	•	—	•
	Downdraft	KXD4636Y	36"	585	65K	•	—	•	—
		KXD4630Y	30"	585	65K	—	•	—	•
	Liners	UVL6048J	48"	585/1170	65K	•	•	•	•
		UVL6036J	36"	585/1170	65K	•	•	•	•

*Performance varies based on installation. Resources available at AHAM.org.
Visit KitchenAid.com for dimension guide.

Slide-In Range Ventilation Pairings

- Approved
- Not approved

					Slide-In Ranges					
					Dual Fuel	Gas		Electric		Induction
					KSDB900E	KSGB900E	KSGG700E	KSEB900E	KSEG700E	KSIB900E
					30"	30"	30"	30"	30"	30"
Ventilation	Commercial-Style	Model No.	Size	CFM Motor Class*	BTU Threshold	—	—	—	—	—
		KVWC958K	48"	585/1170	90K/105K	—	—	—	—	—
		KVWC956K	36"	585/1170	90K/105K	—	—	—	—	—
		KVWC908K	48"	585/1170	90K/105K	—	—	—	—	—
		KVWC906K	36"	585/1170	90K/105K	—	—	—	—	—
		KVUC606K	36"	585	90K	—	—	—	—	—
	Island-Mount	KVIB602D	42"	585	65K	•	•	•	•	•
		KVIB606D	36"	585	65K	•	•	•	•	•
	Wall-Mount	KVWB606D/H	36"	585	65K	•	•	•	•	•
		KVWB600D/H	30"	585	65K	•	•	•	•	•
		KVWB406D	36"	400	65K	•	•	•	•	•
		KVWB400D	30"	400	65K	•	•	•	•	•
	Under-Cabinet	KVUB606D	36"	585	65K	•	•	•	•	•
		KVUB600D	30"	585	65K	•	•	•	•	•
		KVUB406G	36"	400	65K	•	•	•	•	•
		KVUB400G	30"	400	65K	•	•	•	•	•
	Slide-Out	KXU2836J	36"	330	65K	•	•	•	•	•
		KXU2830J	30"	330	65K	•	•	•	•	•
	Downdraft	KXD4636Y	36"	585	65K	—	—	—	—	—
		KXD4630Y	30"	585	65K	•	•	•	•	•
	Liners	UVL6048J	48"	585/1170	65K	•	•	•	•	•
		UVL6036J	36"	585/1170	65K	•	•	•	•	•

*Performance varies based on installation. Resources available at AHAM.org.
Visit KitchenAid.com for dimension guide.